

Oversigt over ekskluderede referencer samt årsag til eksklusion

Ikke systematisk oversigtsartikel/ekspertvurdering (1-59)

Kommentar/leder/svar på klinisk spørgsmål (60-76)

Inkluderer patienter med asymptotisk DVT (77-83)

Post-trombotisk syndrom ikke et outcome parameter (84,85)

Ikke fokus på effekt af kompressionsstrømper (86-92)

Inkluderer ikke nydiagnoserede DVT (93-95)

Sammenligner effekt af bandagering versus ingen bandagering i det akutte stадie for udvikling af PTS (96,97)

Manglende angivelse af ankeltryk på anvendte/anbefalet kompressionsstrømpe (98-102)

Forebyggelse af dyb venetrombose (103)

Andre årsager: Resumé studie (104,105), kort tekstafsnit - indeholder ingen referencer (106) og konsensus statement (107) kapitel i lærebog(108) abstract (109-112)

Referencer

- (1) Ashrani AA, Heit JA. Incidence and cost burden of post-thrombotic syndrome. *J Thromb Trombolysis* 2009;28(4):465-476.
- (2) Blattler W, Zimmet SE. Compression therapy in venous disease. *Phlebology* 2008;/23(5):203-205.
- (3) Carman TL, Fernandez BB,Jr. Issues and controversies in venous thromboembolism. *Cleve Clin J Med* 1999 Feb;66(2):113-123.
- (4) Comerota A. Acute venous disease: Deep venous thrombosis - How to treat in daily practice? *Phlebology* 2010 2010;/17(1):43.
- (5) Creutzig A. Thrombophlebitis--basic principles of treatment. *Z Kardiol* 1993;82 Suppl 2:41-47.
- (6) de Moerloose P, Samama CM, Motte S. Management of venous thromboembolism. *Canadian Journal of Anesthesia* 2006;53(6 SUPPL.).
- (7) Eichlisberger R. Postthrombotic syndrome. *Curr Probl Dermatol* 1999;27:70-80.
- (8) Fink AM. Compression therapy in the treatment of acute deep vein thrombosis. *Wien Med Wochenschr* 2005 ;/155(1-2):11-13.
- (9) Garcia DA, Spyropoulos AC. Update in the treatment of venous thromboembolism. *Semin Respir Crit Care Med* 2008 /;29(1):40-46.
- (10) Hach-Wunderle V. Treatment of deep vein thrombosis in the leg and pelvis. *Med Monatsschr Pharm* 2009;32(1):7-14.
- (11) Hach-Wunderle V. Diagnosis and treatment of venous thrombosis. *Hamostaseologie* 2008 Dec;28(5):376-386.

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

- (12) Hach-Wunderle V, Due M, Hoffmann A, Praeve F, Zegelman M, Hach W. The Treatment of Deep Vein Thrombosis in the Pelvis and Leg. Deutsches Arzteblatt International 2008 JAN 7;105(1-2):25-32.
- (13) Jacobs LG, Billett HH. Office Management of Deep Venous Thrombosis in the Elderly. Am J Med 2009;122(10):904-906.
- (14) Kahn SR. How I treat postthrombotic syndrome. Blood 2009 2009/11;114(21):4624-4631.
- (15) Kahn SR. Post-thrombotic syndrome after deep venous thrombosis: Risk factors, prevention, and therapeutic options. Clinical Advances in Hematology and Oncology 2009;7(7):433-435.
- (16) Kahn SR. The post-thrombotic syndrome: Progress and pitfalls. Br J Haematol 2006;134(4):357-365.
- (17) Kahn SR, Ginsberg JS. Relationship between Deep Venous Thrombosis and the Postthrombotic Syndrome. Arch Intern Med 2004;164(1):17-26.
- (18) Klein-Weigel P, Fraedrich G. Conservative treatment of acute deep vein thrombosis of the lower extremity. Zentralbl Chir 2001;126(6):441-444.
- (19) Partsch H. Ambulation and compression after deep vein thrombosis: Dispelling myths. Semin Vasc Surg 2005;18(3 SPEC. ISS.):148-152.
- (20) Partsch H. Immediate ambulation and leg compression in the treatment of deep vein thrombosis. Disease-a-Month 2005;51(2-3):135-140.
- (21) Partsch H. Therapy of deep venous thrombosis of the leg. Z Hautkr 1990 Nov;65(11):979-981.
- (22) Partsch H, Mosti G. Thigh compression. Phlebology 2008;23(6):252-258.
- (23) Pesavento R, Bernardi E, Concolato A, Dalla Valle F, Pagnan A, Prandoni P. Postthrombotic syndrome. Semin Thromb Hemost 2006;32(7):744-751.
- (24) Pirard D, Bellens B, Vereecken P. The post-thrombotic syndrome - A condition to prevent. Dermatology Online Journal 2008;14(3).
- (25) Shbaklo H, Kahn SR. Long-term prognosis after deep venous thrombosis. Curr Opin Hematol 2008;15(5):494-498.

- (26) Steins A, Jünger M, Rassner G. Importance of compression therapy in the treatment of deep vein thrombosis. *Wiener Medizinische Wochenschrift* 1999;149(2-4):54-56.
- (27) Vazquez SR, Freeman A, VanWoerkom RC, Rondina MT. Contemporary issues in the prevention and management of postthrombotic syndrome. *Ann Pharmacother* 2009;43(11):1824-1835.
- (28) Wentel TD, Neumann HAM. Management of the postthrombotic syndrome: The Rotterdam approach. *Semin Thromb Hemost* 2006;32(8):814-821.
- (29) Prandoni P, Kahn SR. Post-thrombotic syndrome: Prevalence, prognostication and need for progress. *Br J Haematol* 2009;145(3):286-295.
- (30) Prandoni P, Lensing AW, Pesavento R. New strategies for the treatment of acute venous thromboembolism. *Semin Thromb Hemost* 2006 Nov;32(8):787-792.
- (31) Puggioni A, Kalra M, Gловички P. Practical aspects of the postthrombotic syndrome. *Disease-a-Month* 2005;51(2-3):166-175.
- (32) Righini M, Bounameaux H. Venous thrombosis: Risk factors and management. *Herz* 2007 FEB;32(1):27-34.
- (33) Reich-Schupke S, Altmeyer P, Stückler M. What do we know of post-thrombotic syndrome? Current status of post-thrombotic syndrome in adults. *JDDG - Journal of the German Society of Dermatology* 2010;8(2):81-87.
- (34) Thieme D, Landenberger M. Dressing techniques compared. *Pflege Z* 2009;62(4):206-209.
- (35) Bouman AC, ten Cate-Hoek AJ. Timing and duration of compression therapy after deep vein thrombosis. *Phlebology* 2014 MAY;29:78-82.
- (36) Galanaud J-, Kahn SR. Postthrombotic syndrome: A 2014 update. *Curr Opin Cardiol* 2014.
- (37) Henke PK, Comerota AJ. An update on etiology, prevention, and therapy of postthrombotic syndrome. *Journal of Vascular Surgery* 2011 FEB;53(2):500-509.
- (38) Henke P, Pacific Vasc Symposium 6. Prevention and treatment of the postthrombotic syndrome. *Journal of Vascular Surgery* 2010 NOV;52:21S-28S.
- (39) Jeanneret C, Aschwanden M, Staub D. Compression to prevent the postthrombotic syndrome. *Phlebology* 2014;29(S1):71-77.

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

- (40) Liew A, Douketis J. Initial and long-term treatment of deep venous thrombosis: Recent clinical trials and their impact on patient management. *Expert Opin Pharmacother* 2013;14(4):385-396.
- (41) Lim CS, Davies AH. Graduated compression stockings. *Can Med Assoc J* 2014 JUL 8;186(10):E391-E398.
- (42) Pollak AW, McBane II RD. Succinct review of the new VTE prevention and management guidelines. *Mayo Clin Proc* 2014;89(3):394-408.
- (43) Howard LS, Hughes RJ. NICE guideline: Management of venous thromboembolic diseases and role of thrombophilia testing. *Thorax* 2013;68(4):391-393.
- (44) Partsch H. Compression therapy for deep vein thrombosis. *Vasa-European Journal of Vascular Medicine* 2014 SEP;43(5):305-307.
- (45) Kahn SR. The post thrombotic syndrome. *Thromb Res* 2011 FEB;127:S89-S92.
- (46) Kallestrup L, Søgaard T, Schjeldt I, Grove EL. Use of elastic compression stockings. *Ugeskrift for Laeger* 2014;176(16):1474-7.
- (47) Keeling D, Alikhan R. Management of venous thromboembolism - controversies and the future. *Br J Haematol* 2013;161(6):755-763.
- (48) Key NS, Kasthuri RS. Current Treatment of Venous Thromboembolism. *Arteriosclerosis Thrombosis and Vascular Biology* 2010 MAR;30(3):372-375.
- (49) Lowe GDO. Management of deep vein thrombosis to reduce the incidence of post-thrombotic syndrome. *Phlebology* 2010 OCT;25:9-13.
- (50) McLafferty RB. Evidence of Prevention and Treatment of Postthrombotic Syndrome. *Journal of Vascular Surgery* 2010 NOV;52:69S-73S.
- (51) Partsch H. The Role of Leg Compression in the Treatment of Deep Vein Thrombosis. *Phlebology* 2014 /;29(S1):66-70.
- (52) Schjeldt I, Kallestrup L, Søgaard T. A small stocking with large effect. Prevention of late complications after deep vein thrombosis. *Sygeplejersken* 2013;113(3):70-80.
- (53) Partsch H. Compression - From thrombosis to post-thrombotic syndrome. *Phlebologie* 2014;43(5):227-231.

- (54) Reich-Schupke S. Update on modern compression treatment. Gefasschirurgie 2013;18(5):400-404.
- (55) Saedon M, Stansby G. Post-thrombotic syndrome: prevention is better than cure. Phlebology 2010 OCT;25:14-19.
- (56) Strijkers RHW, Ten Cate-Hoek AJ, Bikkens SFFW, Wittens CHA. Management of deep vein thrombosis and prevention of post-thrombotic syndrome. BMJ (Online) 2011 2011/11;343(7830).
- (57) Chattopadhyay D, Al Samaraee A, Bhattacharya V. An update on the management and treatment of deep vein thrombosis. Cardiovascular and Hematological Agents in Medicinal Chemistry 2011;9(4):207-217.
- (58) [Anonymous]. Prevention of Post-Thrombotic Syndrome. International Angiology 2013 APR;32(2):243-246.
- (59) Kahn SR. The Post-Thrombotic Syndrome. Hematology-American Society Hematology Education Program 2010 DEC:216-220.
- (60) Bruhn HD. Thrombosis therapy with compression stockings. Dtsch Med Wochenschr 1999 Mar 26;124(12):371-372.
- (61) Elton G. Review: elastic compression stockings prevent post-thrombotic syndrome in patients with deep venous thrombosis. EVID BASED NURS 2004 07;7(3):86-86.
- (62) Garcia DA. Below knee elastic compression stockings reduced development of the post-thrombotic syndrome in proximal deep venous thrombosis. EVID BASED MED 2005 02;10(1):22-22.
- (63) Ginsberg JS. Routine stocking therapy after deep venous thrombosis: A clinical dilemma. Ann Intern Med 2004;141(4):314-315.
- (64) Kaboli PJ. Using elastic compression stockings to prevent post-thrombotic syndrome. J Respir Dis 2008 ;29(3):100.
- (65) Kahn SR. Review: elastic compression stockings prevent post-thrombotic syndrome in patients with deep venous thrombosis. EVID BASED MED 2004 2004;9(4):109-109.
- (66) Lane B, Jones S. Elastic compression stockings and the risk of post-thrombotic syndrome in patients with symptomatic proximal vein thrombosis. J Accid Emerg Med 2000 11;17(6):405-406.

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

- (67) Alabdulaali MK, Algahtani FH. Evaluation of awareness on the role of elastic compression stocking use in preventing post-thrombotic syndrome in patients in a tertiary hospital in saudi arabia. *Saudi Med J* 2011;32(1):83-84.
- (68) Benson J. Compression stockings do not prevent postthrombotic syndrome in first-time DVT patients. *EVID BASED PRACT* 2014 08;17(8):4-4.
- (69) Bergeson K, Prasad S, Benson J. PURLS: Skip the compression stockings following DVT. *J Fam Pract* 2014 07;63(7):388-390.
- (70) Galanaud J, Righini M, Quéré I. Compression stockings to prevent post-thrombotic syndrome... *Lancet*. 2014 Mar 8;383(9920):880-8. *Lancet* 2014 07/12;384(9938):129-129.
- (71) Kayssi A, Roche-Nagle G. Postthrombotic syndrome. *CMAJ* 2014 07;186(1):62-62.
- (72) Labropoulos N, Gasparis A, P., Caprini J, A., Partsch H. Compression stockings to prevent post-thrombotic syndrome... *Lancet*. 2014 Mar 8;383(9920):880-8. *Lancet* 2014 07/12;384(9938):129-130.
- (73) Rabe E. Thigh-length versus lower leg compression stockings for the prevention of postthrombotic syndrome in patients with proximal deep leg vein thrombosis: A randomized study. *Vasomed* 2013;25(1):57.
- (74) Schwahn-Schreiber C, Marshall M, Wienert V, Partsch H, Rabe E, Stückler M. Wearing compression stockings after deep venous thrombosis of the leg is still advisable. *Phlebologie* 2014;43(3):137-139.
- (75) White R, Brown A, Lattimer CR, Geroulakos G, Elstone A. Compression therapy post-deep vein thrombosis: How to best avoid post-thrombotic syndrome. *Wounds UK* 2013;9(3):8-14.
- (76) ten Cate-Hoek A,J. Elastic compression stockings--is there any benefit? *Lancet* 2014 03/08;383(9920):851-853.
- (77) Giannoukas AD. The role of compression in the prevention of postthrombotic syndrome. *Phlebology* 2008;15(3):94-97.
- (78) Giannoukas AD, Labropoulos N, Michaels JA. Compression with or without Early Ambulation in the Prevention of Post-thrombotic Syndrome: A Systematic Review. *European Journal of Vascular and Endovascular Surgery* 2006;32(2):217-221.

- (79) Ginsberg JS, Hirsh J, Julian J, Vander LaandeVries M, Magier D, MacKinnon B, et al. Prevention and treatment of postphlebitic syndrome: results of a 3-part study. Arch Intern Med 2001 Sep 24;161(17):2105-2109.
- (80) Kakkos SK, Daskalopoulou SS, Daskalopoulos ME, Nicolaides AN, Geroulakos G. Review on the value of graduated elastic compression stockings after deep vein thrombosis. Thromb Haemost 2006;96(4):441-445.
- (81) Kolbach Dinanda N, Sandbrink Maria WC, Hamulyak K, Prins Martin H, Neumann Martino HAM. Non-pharmaceutical measures for prevention of post-thrombotic syndrome. 2003(3).
- (82) Segal JB, Streiff MB, Hofmann LV, Thornton K, Bass EB. Management of venous thromboembolism: A systematic review for a practice guideline. Ann Intern Med 2007;146(3):211-222.
- (83) Kearon C, Kahn SR, Agnelli G, Goldhaber S, Raskob GE, Comerota AJ. Antithrombotic therapy for venous thromboembolic disease: American College of Chest Physicians evidence-based clinical practice guidelines (8th edition). Chest 2008;133(6 SUPPL. 6).
- (84) Arpaia G, Cimminiello C, Mastrogiacomo O, de Gaudenzi E. Efficacy of elastic compression stockings used early or after resolution of the edema on recanalization after deep venous thrombosis: the COM.PRE Trial. Blood Coagul Fibrinolysis 2007 Mar;18(2):131-137.
- (85) Kahn SR, Azoulay L, Hirsch A, Haber M, Strulovitch C, Shrier I. Effect of graduated elastic compression stockings on leg symptoms and signs during exercise in patients with deep venous thrombosis: a randomized cross-over trial. J Thromb Haemost 2003 Mar;1(3):494-499.
- (86) Phlebologic compression bandage. Quality Assurance Committee of the German Society of Dermatology and the Professional Organization of German Dermatologists e. V. Hautarzt 1998 Oct;48 Suppl 1:S76-7.
- (87) Blattler W, Partsch H. Leg compression and ambulation is better than bed rest for the treatment of acute deep venous thrombosis. Int Angiol 2003 Dec;22(4):393-400.
- (88) Gay V, Hamilton R, Heiskell S, Sparks AM. Influence of bedrest or ambulation in the clinical treatment of acute deep vein thrombosis on patient outcomes: a review and synthesis of the literature. Medsurg Nurs 2009 Sep-Oct;18(5):293-299.
- (89) Goodacre S. In the clinic. Deep venous thrombosis. Ann Intern Med 2008 Sep 2;149(5):ITC3-1.

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

- (90) Kahn SR, Shrier I, Julian JA, Ducruet T, Arsenault L, Miron M, et al. Determinants and Time Course of the Postthrombotic Syndrome after Acute Deep Venous Thrombosis. *Ann Intern Med* 2008 NOV 18;149(10):698-U7.
- (91) Vazquez SR, Kahn SR. Postthrombotic syndrome. *Circulation* 2010 ;121(8):e217; e219.
- (92) Vogeley CL, Coeling H. Prevention of venous ulceration by use of compression after deep vein thrombosis. *J Vasc Nurs* 2000 12;18(4):123-127.
- (93) Pesavento R, Villalta S, Prandoni P. The postthrombotic syndrome. *Internal and Emergency Medicine* 2010 JUN;5(3):185-192.
- (94) Musani MH, Matta F, Yaekoub AY, Liang J, Hull RD, Stein PD. Venous Compression for Prevention of Postthrombotic Syndrome: A Meta-analysis. *Am J Med* 2010 AUG;123(8):735-740.
- (95) Baldwin MJ, Moore HM, Rudarakanchana N, Gohel M, Davies AH. Post-thrombotic syndrome: a clinical review. *Journal of Thrombosis and Haemostasis* 2013 MAY;11(5):795-805.
- (96) Partsch H, Kaulich M, Mayer W. Immediate mobilisation in acute vein thrombosis reduces post-thrombotic syndrome. *International Angiology* 2004;23(3):206-212.
- (97) Roumen-Klappe EM, den Heijer M, van Rossum J, Wollersheim H, van der Vleuten C, Thien T, et al. Multilayer compression bandaging in the acute phase of deep-vein thrombosis has no effect on the development of the post-thrombotic syndrome. *J Thromb Thrombolysis* 2009;27(4):400-405.
- (98) Kahn SR, Shbaklo H, Lamping DL, Holcroft CA, Shrier I, Miron MJ, et al. Determinants of health-related quality of life during the 2 years following deep vein thrombosis. *J Thromb Haemost* 2008 ;6(7):1105-1112.
- (99) Snow V, Qaseem A, Barry P, Hornbake ER, Rodnick JE, Tobolic T, et al. Management of venous thromboembolism: a clinical practice guideline from the American College of Physicians and the American Academy of Family Physicians. *Ann Fam Med* 2007 Jan-Feb;5(1):74-80.
- (100) Tick LW, Kramer MHH, Rosendaal FR, Faber WR, Doggen CJM. Risk factors for post-thrombotic syndrome in patients with a first deep venous thrombosis. *Journal of Thrombosis and Haemostasis* 2008;6(12):2075-2081.
- (101) Ziegler S, Schillinger M, Maca TH, Minar E. Post-thrombotic syndrome after primary event of deep venous thrombosis 10 to 20 years ago. *Thromb Res* 2001;101(2):23-33.

- (102) Kahn SR, Solymoss S, Lamping DL, Abenham L. Long-term outcomes after deep vein thrombosis: Postphlebitic syndrome and quality of life. *Journal of General Internal Medicine* 2000;15(6):425-429.
- (103) Wallis M, Autar R. Deep vein thrombosis: clinical nursing management. *Nurs Stand* 2001 Jan 17-23;15(18):47-54; quiz 56-7.
- (104) Elastic compression stockings reduce the incidence of post-thrombotic syndrome in people with proximal deep vein thrombosis. *Evidence-Based Healthcare and Public Health* 2005;9(1):81-82.
- (105) Kolbach DN, Sandbrink MW, Hamulyak K, Kahn SR. Review: Elastic compression stockings prevent post-thrombotic syndrome in patients with deep venous thrombosis. *Evid -Based Med* 2004 2004/07;9(4):109.
- (106) Partsch H. Prevention of postthrombotic syndrome by compression therapy - Evidence from comparative studies. *Phlebology* 2010 2010/;17(1):70.
- (107) Partsch H, Flour M, Smith PC, International Compression Club. Indications for compression therapy in venous and lymphatic disease consensus based on experimental data and scientific evidence. Under the auspices of the IUP. *Int Angiol* 2008 Jun;27(3):193-219.
- (108) Fitzmaurice D, Murray E, Taylor C. Thromboembolism. *Am Fam Physician* 2012;85(2):188-190.
- (109) Garcia D. After a first proximal DVT, compression stockings did not prevent the postthrombotic syndrome. *ACP J Club* 2014 04/15;160(8):1-1.
- (110) Kahn SR, Shapiro S, Wells PS, Rodger MA, Kovacs MJ, Anderson D, et al. A Multicenter Randomized Placebo Controlled Trial of Compression Stockings to Prevent the Post-Thrombotic Syndrome After Proximal Deep Venous Thrombosis: The SOX Trial. *Blood* 2012 NOV 16;120(21).
- (111) Markun S. Are compression stockings after deep vein thrombosis useless? *Praxis* 2014;103(7):409-410.
- (112) Roberts LN, Patel RK, Bonner L, Arya R. Early use of compression stockings following deep vein thrombosis is associated with reduced early incidence of post-thrombotic syndrome and improved quality of life. *Journal of Thrombosis and Haemostasis* 2011 JUL;9:655-655.