

Bilag 1 Søgeprotokol

Hvilken evidens er der for, at stimulation af akupunkturpunktet P6, sammenlignet med konventionel antiemetika, reducerer forekomsten af PONV

Søgeord:

Acupuncture, acupuncture therapy, acupuncture points, acupoint, acupressure, transcutaneous electric nerve stimulation, TENS, percutaneous electrical nerve stimulation electro acupuncture, postoperative nausea and vomiting, PONV, postoperative emesis, established PONV, antiemetics, antiemetic effect.

Inkludér

Ekskludér

Søgeperiode:

Januar 1995 – december 2011

| | | |
|---|---|---|
| <p>Studiepopulation:</p> <p>Patienter med risiko for udvikling af PONV eller med etableret PONV.</p> <p>Litteraturtyper:</p> <ul style="list-style-type: none"> • Systematiske reviews • Metaanalyser • Randomiserede kontrollerede undersøgelser • Kontrollerede kliniske undersøgelser • Clinical guidelines <p>Kliniske nøgleområder:</p> <ul style="list-style-type: none"> • Non-farmakologisk antiemetisk behandling • PONV | <ul style="list-style-type: none"> • Artikler med studier der udelukkende omhandler behandling af kvalme og opkastning efter kemoterapi & under graviditet. • Artikler udelukkende med børn. • Artikler på andre sprog end engelsk, tysk og nordisk. | <p>Databaser:</p> <ul style="list-style-type: none"> • PubMed • The Cochrane Library • Web of Science • EMBASE • CINAHL <p>Internetsider:</p> <ul style="list-style-type: none"> • Joanna Briggs Institute • National Guideline Clearinghouse • SIGN • Trip • Ugeskrift for læger • KUFAB • CCESCAM <p>Manuel søgning:</p> <ul style="list-style-type: none"> • Artiklernes referencelister |
|---|---|---|

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

Søgestreng

| Dato | Database | Søgtermer | Limits | Antal hits |
|----------|----------|---|---|------------|
| 15.06.12 | Medline | Acupuncture OR "Acupuncture"[Mesh] OR "Acupuncture Therapy"[Mesh] OR Acupuncture therapy OR Acupuncture points OR "Acupuncture Points"[Mesh] OR Acupoint* OR Acupressure OR "Acupressure"[Mesh] OR Transcutaneous electric nerve stimulation OR "Transcutaneous Electric Nerve Stimulation"[Mesh] OR Transcutaneous electrical stimulation OR percutaneous electric nerve stimulation OR Percutaneous electrical nerve stimulation OR transdermal electrostimulation OR Transcutaneous electrical nerve stimulation OR | Publication date 01.01.1995 til 31.12.2012 Clinical trial, Controlled clinical trial, Guideline, Meta-analysis, Practice guideline, Randomized controlled trial, Review, Systematic Reviews. Danish, English, German, Norwegian, Swedish | 85 |

| | | | |
|--|---|--|--|
| | <p>transcutaneous nerve stimulation OR Transcutaneous electric stimulation OR TENS OR</p> <p>Electro-acupuncture OR</p> <p>Electro acupuncture OR</p> <p>Electroacupuncture OR</p> <p>“Electroacupuncture”[Mesh]</p> <p>AND</p> <p>PONV</p> <p>“Postoperative Nausea and Vomiting”[Mesh] OR</p> <p>Postoperative Nausea and Vomiting OR Postoperative Nausea OR Postoperative Vomiting OR Postoperative Emesis OR Postoperative Emeses OR</p> <p>“established PONV”</p> <p>AND</p> <p>Antiemetic*</p> <p>Antiemetic drugs OR anti-emetics OR anti emetics OR antiemetic agents OR antiemetic effect OR anti-emetic effects OR anti emetic effects OR antiemetic effects OR anti-emetic effect</p> | | |
|--|---|--|--|

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

| | | | | |
|---------|--------|---|--|-----|
| | | OR anti emetic effect OR "Antiemetics"[Mesh] | | |
| 14.6.12 | Embase | Acupuncture OR acupressure OR Electroacupuncture OR Acupuncture [Thesaurus] OR acupuncture therapy [Thesaurus] OR acupuncture point*[Thesaurus] OR acupoint [Thesaurus] OR acupressure [Thesaurus] OR transcutaneous nerve stimulation OR transcutaneous electrostimulation OR transcutaneous nerve stimulation [Thesaurus] OR percutaneous electric nerve stimulation OR percutaneous electrical nerve stimulation OR TENS OR transcutaneous electric nerve stimulation OR transcutaneous electrical nerve stimulation OR transcutaneous electrical stimulation OR transcutaneous electrostimulation [Thesaurus] OR transcutaneous electric nerve stimulation [Thesaurus] OR electroacupuncture OR electro acupuncture OR electro-acupuncture | ≥ 1995 – current. Danish, English, Norwegian, Swedish | 174 |

| | | | | |
|---------|----------|---|-------------------|-----|
| | | <p>[Thesaurus]</p> <p>AND</p> <p>Postoperative nausea and vomiting [Thesaurus] OR</p> <p>PONV OR postoperative nausea OR postoperative vomiting OR postoperative emesis OR postoperative emeses [Thesaurus] OR established ponv [Thesaurus]</p> <p>AND</p> <p>Antiemetic agent OR antiemetic* OR antiemetic drugs OR antiemetic drug OR anti emetic drug OR anti-emetics OR anti emetics OR antiemetic agents OR anti emetic agents OR antiemetic effect OR antiemetic effects OR anti emetic effects OR antiemetic effects OR anti-emetic effect OR anti emetic effect [Thesaurus]</p> | | |
| 15.6.12 | Cochrane | Acupuncture OR acupuncture therapy OR Acupuncture [Mesh] OR Acupuncture Therapy [Mesh] OR acupuncture therapy OR acupuncture points OR Acupuncture Points [Mesh] OR acupoint OR acupoints OR acupressure OR | From 1995 to 2012 | 122 |

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

| | | | | |
|---------|----------------|---|------------------------------|----|
| | | <p>Acupressure [Mesh] OR transcutaneous electric nerve stimulation OR Transcutaneous Electric Nerve Stimulation [Mesh] OR transcutaneous nerve stimulation OR transcutaneous electric stimulation OR TENS OR Electroacupuncture [Mesh]</p> <p>AND</p> <p>Ponv OR Postoperative Nausea and Vomiting [Mesh] OR established ponv</p> <p>AND</p> <p>Antiemetic OR antiemetics OR Antiemetics [Mesh]</p> | | |
| 19.6.12 | Web of Science | Acupuncture OR "acupuncture therapy" OR "acupuncture points" OR acupoint* OR acupressure OR "transcutaneous electric nerve stimulation" OR "transcutaneous electrical stimulation" OR "percutaneous electric nerve stimulation" OR "percutaneous electrical nerve stimulation" OR "transdermal electrostimulation" OR "transcutaneous electrical | From 1995 to 2012 English | 71 |

| | | | | |
|---------|--------|---|----------------------|----|
| | | <p>nerve stimulation" OR "transcutaneous nerve stimulation" OR "transcutaneous electric stimulation" OR TENS OR electroacupuncture OR electro acupuncture OR electro-acupuncture</p> <p>AND</p> <p>PONV OR "postoperative nausea and vomiting" OR "postoperative nausea" OR "postoperative vomiting" OR "postoperative emesis" OR "postoperative emeses" OR "established ponv"</p> <p>AND</p> <p>antiemetic* OR "antiemetic drug" OR "antiemetic drugs" OR anti-emetics OR "anti emetics" OR "anti emetic agent" OR "antiemetic agents" OR "antiemetic effect" OR "anti-emetic effects" OR "anti emetic effects" OR "antiemetic effects" OR "anti-emetic effect" OR "anti emetic effect"</p> | | |
| 18.6.12 | Cinahl | Acupuncture OR MH"Acupuncture+" OR acupuncture points OR MH | From 1995 to 2012 | 89 |

CENTER FOR KLINISKE RETNINGSLINJER

- CLEARINGHOUSE

| | | | |
|--|---|--|--|
| | <p>"Acupuncture Points" OR acupoint* OR acupressure OR MH "Acupressure+" OR MH "Transcutaneous Electric Nerve Stimulation" OR transcutaneous electric nerve stimulation OR transdermal electrostimulation OR transcutaneous electric stimulation OR TENS OR MH "Electroacupuncture" OR acupuncture therap*</p> <p>AND</p> <p>ponv OR MH "Nausea and Vomiting+" OR postoperative nausea and vomiting OR postoperative nausea OR postoperative vomiting OR postoperative emesis OR postoperative emeses OR established ponv</p> <p>AND</p> <p>MH "Antiemetics+" OR "antiemetics" OR antiemetic drugs OR antiemetics OR anti emetics OR antiemetic agents OR antiemetic agents OR antiemetic effect* OR anti-emetic effect* OR anti emetic effect*</p> | Danish, English, Norwegian, Swedish | |
|--|---|--|--|