

Bilag 6 Detaljeret søgestrategi

Detaljeret søgestrategi for søgninger foretaget maj-juni 2016

Dato	DATABASE	Søgetermer og kombinationer af disse	Limits	Hits	Abstracts
10.05.2016	PubMed	<p>((((((((((((((((((((((((((("palliative care") OR palliative) OR palliation) OR "Hospice Care"[Mesh]) OR "Terminal Care"[Mesh]) OR "Terminally Ill"[Mesh]) OR "advanced cancer") OR "Neoplasms"[Mesh]) OR Neoplasms) OR Neoplasm) OR cancer) OR hospice) OR "end stage") OR "late stage") OR "final stage") OR "last stage") OR "advanced stage") OR "end phase") OR "late phase") OR "final phase") OR "last phase") OR "advanced phase") OR "end-of-life")) OR ("Palliative Care"[Mesh] OR "Hospice and Palliative Care Nursing"[Mesh] OR "Palliative Medicine"[Mesh])))</p> <p>AND</p> <p>((((("Constipation"[Mesh]) OR constipation) OR "opioid induced constipation") OR "bowel dysfunction") OR "colonic transit") OR "Fecal Impaction"[Mesh]) OR "stool impaction"))</p>	Publication date: 01.09.2014 – 10.05.2016	470	28
06.06.2016	Pubmed	<p>((((((((("Constipation"[Mesh]) OR constipation) OR "opioid induced constipation") OR "bowel dysfunction") OR "colonic transit") OR "Fecal</p>	Publiceret fra 01.01.2012 til	83	27

		<p>Impaction"[Mesh]) OR "stool impaction"))))</p> <p>AND</p> <p>(((((("palliative care") OR palliative) OR palliation) OR "Hospice Care"[Mesh]) OR "Terminal Care"[Mesh]) OR "Terminally Ill"[Mesh]) OR "advanced cancer") OR "Neoplasms"[Mesh]) OR Neoplasms) OR Neoplasm) OR cancer) OR hospice) OR "end stage") OR "late stage") OR "final stage") OR "last stage") OR "advanced stage") OR "end phase") OR "late phase") OR "final phase") OR "last phase") OR "advanced phase") OR "end-of-life")) OR ("Palliative Care"[Mesh] OR "Hospice and Palliative Care Nursing"[Mesh] OR "Palliative Medicine"[Mesh]))))</p> <p>AND</p> <p>(((((("alvimopan" [Supplementary Concept]) OR naltrexone) OR "Naltrexone"[Mesh]) OR mu-opioid antagonist) OR mu antagonist) OR "mu antagonist") OR "Narcotic Antagonists"[Mesh]) OR "opioid antagonist") OR opioid receptor antagonist) OR "opioid receptor antagonist") OR mu-receptor antagonist) OR "μ-receptor antagonist") OR "mu-receptor antagonist") OR naloxegol) OR "naloxegol" [Supplementary</p>	06.06.2016		
--	--	--	------------	--	--

		Concept]) OR methylnaltrexone) OR "methylnaltrexone" [Supplementary Concept]) OR naloxone) OR "Naloxone"[Mesh]) OR alvimopan)			
11.05.2016	Cinahl	(MH "palliative care") OR "palliative care" OR (MH "Hospice and Palliative Care Nursing") OR (MH "Terminal Care") OR (MH "Hospice Care") OR palliati* OR (MH "Terminally Ill Patients") OR "advanced cancer") OR (MH "Neoplasms") OR cancer OR Neoplasm* OR (MH Hospices) OR "hospice" OR "end stage" OR "late stage" OR "final stage" OR "last stage" OR "advanced stage" OR "end phase" OR "late phase" OR "final phase" OR "last phase" OR "advanced phase" OR "end-of- life")) AND (MH "Constipation") OR "constipation" OR "opioid induced constipation" OR "bowel dysfunction" OR "colonic transit" OR "fecal impaction") OR (MH Feces, Impacted) OR "stool impaction"	Publiceret 01.01.2014 til 11.05.2016	119	9
07.06.2016	Cinahl	(MH "Naloxone") OR "naloxone" OR "methylnaltrexone" OR "naloxegol" OR (MH "Naltrexone") OR "naltrexone" OR "mu-receptor antagonist" OR "opioid receptor antagonist" OR (MH "Narcotic Antagonists") OR "opioid antagonist" OR "mu	Publiceret fra 01.01.2012 til 07.06.2016	26	0

		<p>antagonist" OR "mu-opioid antagonist" OR "alvimopan"</p> <p>AND</p> <p>(MH "palliative care") OR "palliative care" OR (MH "Hospice and Palliative Care Nursing") OR (MH "Terminal Care") OR (MH "Hospice Care") OR palliati* OR (MH "Terminally Ill Patients") OR "advanced cancer") OR (MH "Neoplasms") OR cancer OR Neoplasm* OR (MH Hospices) OR "hospice" OR "end stage" OR "late stage" OR "final stage" OR "last stage" OR "advanced stage" OR "end phase" OR "late phase" OR "final phase" OR "last phase" OR "advanced phase" OR "end-of-life"))</p> <p>AND</p> <p>(MH "Constipation") OR "constipation" OR "opioid induced constipation" OR "bowel dysfunction" OR "colonic transit" OR "fecal impaction") OR (MH Feces, Impacted) OR "stool impaction"</p>			
13.05.2016	Cochrane Library	<p>MeSH descriptor: [Palliative Care] OR palliati* OR MeSH descriptor: [Terminal Care] OR MeSH descriptor: [Terminally Ill] OR advanced cancer OR MeSH descriptor: [Neoplasms] OR neoplasm* OR cancer OR hospice OR "end stage" OR "late stage" OR "final stage" OR "last stage" OR "advanced stage" OR "end phase" OR "late phase" OR "final phase" OR "last phase" OR</p>	Publiceret fra 01.01.2014 til 13.05.2016	623	10

		<p>"advanced phase" OR "end-of-life" OR "palliative care" OR MeSH descriptor: [Hospice and Palliative Care Nursing] OR MeSH descriptor: [Palliative Medicine] OR MeSH descriptor: [Hospice Care]</p> <p>AND</p> <p>MeSH descriptor: [Constipation] OR constipation OR "opioid induced constipation" OR "bowel dysfunction" OR "colonic transit" OR MeSH descriptor: [Fecal Impaction] OR "stool impaction"</p>			
07.06.2016	Cochrane Library	<p>MeSH descriptor: [Naloxone] OR naloxone OR methylnaltrexone OR naloxegol OR MeSH descriptor: [Naltrexone] OR naltrexone OR mu-receptor antagonist OR opioid receptor antagonist OR opioid antagonist OR mu antagonist OR mu-opioid antagonist OR MeSH descriptor: [Narcotic Antagonists] OR alvimopan</p> <p>AND</p> <p>MeSH descriptor: [Palliative Care] OR palliati* OR MeSH descriptor: [Terminal Care] OR MeSH descriptor: [Terminally III] OR advanced cancer OR MeSH descriptor: [Neoplasms] OR neoplasm* OR cancer OR hospice OR "end stage" OR "late stage" OR "final stage" OR "last stage" OR "advanced stage" OR "end phase" OR "late phase" OR "final phase" OR "last phase" OR</p>	01.01.2012 - 07.06.2016	56	0

		<p>"advanced phase" OR "end-of-life" OR "palliative care" OR MeSH descriptor: [Hospice and Palliative Care Nursing] OR MeSH descriptor: [Palliative Medicine] OR MeSH descriptor: [Hospice Care]</p> <p>AND</p> <p>MeSH descriptor: [Constipation] OR constipation OR "opioid induced constipation" OR "bowel dysfunction" OR "colonic transit" OR MeSH descriptor: [Fecal Impaction] OR "stool impaction"</p>			
14.05.2016	Psycinfo	<p>palliative care.mp OR Palliative Care/ OR palliati* OR Hospice/ OR hospice care.mp OR Terminally Ill Patients/ OR terminal care.mp OR "advanced cancer".mp OR Neoplasms/ OR neoplasm*.mp OR cancer.mp OR hospice.mp OR "end stage".mp OR "late stage".mp OR "final stage".mp OR "last stage".mp OR "advanced stage".mp OR "end phase".mp OR "late phase".mp OR "final phase".mp OR "last phase".mp OR "advanced phase".mp OR "end-of-life".mp OR "Hospice and Palliative Care Nursing".mp</p> <p>AND</p> <p>CONSTIPATION/ OR constipation.mp OR "opioid induced constipation".mp OR "bowel dysfunction".mp OR "colonic transit".mp OR "fecal impaction".mp OR "stool</p>	Publiceret fra 01.01.2014 til 14.05.2016	59	0

		impaction".mp			
08.06.2016	Psycinfo	<p>naloxone.mp. or exp NALOXONE/ or exp Narcotic Antagonists/ or methylnaltrexone.mp. or naloxegol.af. or naltrexone.mp. or exp NALTREXONE/ or mu- receptor antagonist.mp. or opioid receptor antagonist.mp. or opioid antagonist.mp. or mu- opioid antagonist.mp. or alvimopan.mp.</p> <p>AND</p> <p>palliative care.mp OR Palliative Care/ OR palliati* OR Hospice/ OR hospice care.mp OR Terminally Ill Patients/ OR terminal care.mp OR "advanced cancer".mp OR Neoplasms/ OR neoplasm*.mp OR cancer.mp OR hospice.mp OR "end stage".mp OR "late stage".mp OR "final stage".mp OR "last stage".mp OR "advanced stage".mp OR "end phase".mp OR "late phase".mp OR "final phase".mp OR "last phase".mp OR "advanced phase".mp OR "end-of-life".mp OR "Hospice and Palliative Care Nursing".mp</p> <p>AND</p> <p>CONSTIPATION/ OR constipation.mp OR "opioid induced constipation".mp OR "bowel dysfunction".mp OR "colonic transit".mp OR "fecal impaction".mp OR "stool impaction".mp</p>	Publiceret fra 01.01.2012 til 08.06.2016	7	0

14.05.2016	EMBASE	<p>palliative therapy/OR palliati* OR Neoplasms/ OR neoplasm*.mp OR metastasis/ OR hospice care/ OR hospice/ OR terminally ill patient/ OR terminal care/.mp OR advanced cancer/ OR cancer/ OR hospice.mp OR end-of-life.mp OR (hospice and palliative care nursing).mp</p> <p>AND</p> <p>constipation/ OR constipation.ti,ab OR opioid induced constipation.mp OR bowel dysfunction.mp OR colonic transit.mp OR fecal impaction.mp OR stool impaction.mp</p> <p>AND</p> <p>Randomized controlled trial/ OR controlled clinical trial/ OR random*.mp OR placebo*.mp OR trial.ti,ab OR double- blind.mp OR single-blind.mp OR double blind.mp OR single blind.mp OR meta analysis/ OR systematic review.mp OR “systematic review”/</p>	Publiceret fra 01.01.2014 til 14.05.2016 Sprog: Engelsk, dansk, tysk, norsk, svensk Publikation stype Article or review	958	5
07.06.16	EMBASE	naloxone/ or naloxone.mp. or methylnaltrexone.mp. or 17 methylnaltrexone/ or naloxegol.mp. or naloxegol/ or mu-receptor antagonist.mp. or mu opiate receptor antagonist/ or opioid receptor antagonist.mp. or opiate antagonist/ or opioid antagonist.mp. or mu antagonist.mp. or mu-opioid antagonist.mp. or naltrexone/ or	Publiceret fra 01.01.2012 til 07.06.2016	83	0

		<p>narcotic antagonist/ or alvimopan.mp. or alvimopan/</p> <p>AND</p> <p>palliative therapy/OR palliati* OR Neoplasms/ OR neoplasm*.mp OR metastasis/ OR hospice care/ OR hospice/ OR terminally ill patient/ OR terminal care/.mp OR advanced cancer/ OR cancer/ OR hospice.mp OR end-of-life.mp OR (hospice and palliative care nursing).mp</p> <p>AND</p> <p>constipation/ OR constipation.ti,ab OR opioid induced constipation.mp OR bowel dysfunction.mp OR colonic transit.mp OR fecal impaction.mp OR stool impaction.mp</p> <p>AND</p> <p>Randomized controlled trial/ OR controlled clinical trial/ OR random*.mp OR placebo*.mp OR trial.ti,ab OR double- blind.mp OR single-blind.mp OR double blind.mp OR single blind.mp OR meta analysis/ OR systematic review.mp OR "systematic review"/</p>			
				2484	79